Medical Elbow Action Mixers










BIB TAP




Description: Elbow action ¼ turn bib tap with a blue indice. ½" BSP male inlet.

SANS 226 TYPE 2

Code: 500-21B



BIB TAP




 $\textbf{Description:} \qquad \textbf{Elbow action } \textit{14} \textbf{ turn bib tap with a red indice. 1/2" BSP male inlet.}$

SANS 226 TYPE 2

Code: 500-21R



PILLAR TAP




Description: Elbow action raised nose ¼ turn pillar tap with a blue indice.

½"BSP male inlet. SANS 226 TYPE 2

Code: 503-21B



PILLAR TAP



Description: Elbow action raised nose ¼ turn pillar tap with a red indice.


1/2"BSP male inlet. SANS 226 TYPE 2

Code: 503-21R

Description: Elbow action, High waist, ¼ turn turn pillar tap with a blue

indice. ½" BSP male inlet. SANS 226 TYPE 2


Code:




Code: 504-21R

Code:

Code:






505-21R

505-21B

NOTE: For best results balanced water pressure systems, not exceeding 4 bar (400kPa) (60 psi), are recommended.

WALL TYPE MIXER






 $\textbf{Description:} \hspace{0.5cm} \textbf{Elbow action, progressive control wall type mixer with an underarm} \\$

swivel outlet. ½" BSP male inlets. SANS 226 TYPE 2

Code: 50

WALL TYPE MIXER






Description: Elbow action, progressive control wall type mixer with a swivel outlet.

½" BSP male inlets. SANS 226 TYPE 2

Code: 508CD

WALL TYPE MIXER






Description: Elbow action, ¼ turn wall type mixer with a fixed outlet.

½"BSP male inlets. SANS 226 TYPE 2

Code: 510-21

WALL TYPE MIXER







Description: Elbow action, ¼ turn wall type mixer with a fixed outlet.

½"BSP male inlets. SANS 226 TYPE 2

Code: 511-21










Description: Elbow action, ¼ turn side valve with a blue indice. ½" BSP male

inlet. SANS 226 TYPE 2

514-21B Code:



MEDICAL BOTTLE WASHER TAP




Description: Elbow action, 1/4 turn side valve with a red indice. 1/2" BSP male

inlet. SANS 226 TYPE 2

514-21R Code:



WALL TYPE MIXER




Description: Elbow action wall type mixer with angle regulating valves and a hook

swivel outlet. 1/2" BSP male inlet. SANS 226 TYPE 2

Code: 515/053232H21






Description: Elbow action ¼ turn wall type mixer with a swivel outlet.½"

BSP male inlet. SANS 226 TYPE 2

Code: 515/055-21






Elbow action 1/4 turn wall type mixer with a swivel outlet and a Description:

hook. ½" BSP male inlet. SANS 226 TYPE 2

Code: 515/055H-21




PILLAR TYPE MIXER



Elbow action pillar type % turn mixer with an aerated swan neck swivel outlet. %" BSP male inlets. SANS 226 TYPE 2 515-21 Description:

Code:



Description:

inlets. SANS 226 TYPE 2 516-21

Code:


TYPE MIXER Description:


Elbow action wall type $\frac{1}{4}$ turn mixer with a hand shower kit. $\frac{1}{2}$ " BSP

male inlets. SANS 226 TYPE 2

518-21 Code:

NOTE: For best results balanced water pressure systems, not exceeding 4 bar (400kPa) (60 psi), are recommended.





NOTE: For best results balanced water pressure systems, not exceeding 4 bar (400kPa) (60 psi), are recommended.





Tel: 0861 21 21 21

Email: marketing @cobrawatertech.co.za

www.cobra.co.za